文 密 By Air







# 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

### 危险品

成品配件(锂电池)/成品配件(钮扣式锂电池)/锂电池(钮扣)/钮扣式锂电池/钮 样品名称:

扣式锂电池(不可充电)/原电池/锂电池/钮扣锂电池/钮扣电池/锂原电池/锂金

属电池/锂-二氧化錳电池/KTS CR2032 3.0V 220mAh 0.66Wh

Sample name: Lithium manganese dioxide button cell KTS CR2032 3.0V 220mAh 0.66Wh

仕野股份有限公司 委托单位:

VIC-DAWN ENTERPRISE CO., LTD

武汉力兴(火炬)电源有限公司 生产单位:

WUHAN LIXING (TORCH) POWER SOURCES CO., LTD





SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.





#### 1/3Page

## Hazard Classification and Identification Report

运输危险性鉴定书

for Transport of Goods

样品 Sample	·名称 e Nam	中文 Chinese e 英文 English	电)/原电池/锂电池/ 3.0V 220mAh 0.66Wh	K品配件(钮扣式锂电池)/锂电钮扣锂电池/钮扣电池/锂原电	电池/锂金属电池/锂-二	氧化錳电池/KTS	
委托单位 Applicant			仕野股份有限公司 VIC-DAWN ENTERPRISE CO., LTD				
生产单位 Manufacturer			武汉力兴(火炬)电源有限公司 WUHAN LIXING (TORCH) POWER SOURCES CO., LTD				
检验方法、程序 Inspection method and procedure			国际航空运输协会《危险品规则》65版 IATA Dangerous Goods Regulations (DGR) 65th Edition				
样品外观 Sample appearance			银色钮扣状金属外壳 Silvery Button metal shell				
	包装件信息 Package information		锂电池总净重≤2.5kg。 Lithium batteries total net weight≤2.5kg.				
序号 NO.	不可	电池种类 Battery type 允电锂金属电池芯 ry Li-metal cell	型号 Model CR2032	容量Capacity /程含量Li content 220mAh / ≤0.3g	放置方式 Placement 电池单独运输 Battery only	单颗重量kg Unit weight 0.0029	数量 Quantity 600
鉴	I DENTI F	2. 空运按照国际航空运输协会《危险品规则》办理的类项(Suggestion according to IATA DGR) Shipping Name:Lithium metal batteries Class or Division:9 UN Number:UN3090					
定	AT						
结	0	3. 包装要求 (Packaging requirements)					
论							
	_ (	又限货机 Cargo Aircraft On			· N. M. W. A.		
	/	检验日期: Inspection Date	2023-11-23	2023-11-25	生效日期: 2024 Effective Date:	-01-01	
备注 Comment					[35]		

批准 一 是 Approver: 七 星

Checker:

主检 Appraiser:



### 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

No. 212400800609874 Page 2/3

序号	检验结果及其他事项						
No.	Inspection results and other things						
1	本鉴定书所述锂电池按照《危险品规则》(65版)3.9.2.6.1(e)规定的质量管理体系进行制造。本鉴定书所述锂电池不属于因安全原因召回的锂电池。本鉴定书所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 65th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.						
2	本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。包装件能够承受1.2m跌落试验。包装件能够承受《危险品规则》包装说明968 IB中所要求的堆码试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.  The package has passed the 1.2m drop test. The package has passed the stacking test required in Pl 968 IB of DGR.  UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812100400513185 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.						
3	理电池完全封装在内包装内,位于坚固的例性外包装中。 电池具有适当的防短路措施。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a stron rigid outer packaging.  Cells and batteries are properly protected to prevent short circuits.						
4	按DGR IB部分托运的电池必须根据第8部分规定在托运人申报单中描述;并且当使用航空货运单时,货运单必须包含8.2.1和8.2.2中相关适用要求。 Cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as set out in Section 8, and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.						
5	除使用9类锂电池危险性标签(DGR图7.3.X)外,每个包装件必须按DGR图7.1.C所示做耐久清晰的标记。注:63版DGR图7.1.C所示锂电池标记可继续使用至2026年12月31日。 每个包装件必须按DGR7.1.4.1(a)和(b)要求标记。此外当7.1.4.1(c)有要求时还必须标明包装件净重。 每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR in addition to the Class 9-Lithium Battery hazard label (Figure 7.3.X in JATA DGR). Note:The mark illustrated in Figure 7.1.C of the 63rd edition of DGR may continue to be used until 31 December 2026. Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the net weight when required by 7.1.4.1(c) must be marked on the package. Each package must be labelled with the "Cargo Aircraft Only" label (Figure 7.4.B in IATA DGR).						
6	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).						
7							
	-验证码:540492-						

检测

4個人

世界 (35)

Page 3/3

Hazard Classification and Identification Report for Transport of Goods



\*\*\*报告结束\*\*\*